

Message

From: Reategui-Zirena,Evelyn (DSHS) [Evelyn.Reategui-Zirena@dshs.texas.gov]
Sent: 11/15/2019 4:01:22 PM
To: Shewmake, Kenneth [shewmake.kenneth@epa.gov]
Subject: RE: Lane Plating Phase 1 RI DSTM, Rev 01
Attachments: DSHS Sample Recs.png

Hi Kenneth,
We are going to reference this map.

Thanks
Evelyn

From: Reategui-Zirena,Evelyn (DSHS)
Sent: Thursday, November 14, 2019 3:55 PM
To: Shewmake, Kenneth <shewmake.kenneth@epa.gov>
Subject: RE: Lane Plating Phase 1 RI DSTM, Rev 01

Kenneth,

I don't think it's necessary.
Thanks
Evelyn

From: Shewmake, Kenneth <shewmake.kenneth@epa.gov>
Sent: Thursday, November 14, 2019 3:51 PM
To: Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>
Subject: RE: Lane Plating Phase 1 RI DSTM, Rev 01

Do you want TCEQ and risk assessors? It is short notice if yes but I could ask.

From: Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>
Sent: Thursday, November 14, 2019 3:33 PM
To: Shewmake, Kenneth <shewmake.kenneth@epa.gov>
Subject: RE: Lane Plating Phase 1 RI DSTM, Rev 01

Kenneth,

This is related to the new sampling plan. Jessica Price, Kiet Nguyen and I are covering for Jessica Kessinger so it'd be the 3 of us. Yes, please! Could you please set up a conference call for 10 AM? We'd really appreciate it.

Thank you
Evelyn

Evelyn G. Reátegui-Zirena, PhD
Toxicologist
Health Assessment & Toxicology Program

Department of State Health Services
Austin, TX 78714

From: Shewmake, Kenneth <shewmake.kenneth@epa.gov>
Sent: Thursday, November 14, 2019 3:24 PM
To: Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>
Subject: RE: Lane Plating Phase 1 RI DSTM, Rev 01

I am working from home, but yes we can do a call. Is this for the CAG or the review of the new sampling plan? You got both documents but the CAG only got the draft data report. I am also planning on going to the CAG meeting Monday. Do you want me to set up a conference call? I can give you my cell number if it is just you. I do not want to give my personal number to the CAG. Let me know.

Kenneth Shewmake
US EPA, Remedial Project Manager
(214) 665-3198

From: Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>
Sent: Thursday, November 14, 2019 2:48 PM
To: Shewmake, Kenneth <shewmake.kenneth@epa.gov>
Subject: RE: Lane Plating Phase 1 RI DSTM, Rev 01

Hi Kenneth,

We have a couple of questions regarding Lane Plating sampling, do you think you have some time tomorrow for a quick call?

Thank you
Evelyn

From: Shewmake, Kenneth <shewmake.kenneth@epa.gov>
Sent: Tuesday, November 12, 2019 11:15 AM
To: Scott Settemeyer <scott.settemeyer@tceq.texas.gov>; Kessinger,Jessica (DSHS) <Jessica.Kessinger@dshs.texas.gov>; 'Johnson, Bret' <jonathan.johnson@dallascityhall.com>; Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>
Cc: Rauscher, Jon <Rauscher.Jon@epa.gov>; Tsui-Bowen, Alethea <Tsui-Bowen.Alethea@epa.gov>; Hidalgo, Chelsea <Hidalgo.Chelsea@epa.gov>
Subject: Lane Plating Phase 1 RI DSTM, Rev 01

<p>WARNING: This email is from outside the HHS system. Do not click on links or attachments unless you expect them from the sender and know the content is safe.</p>

Lane Plating Team,

The revised Lane Plating Phase 1 RI Data Summary is attached. We will post this on the Lane Plating website after the CAG has had a chance to review it. I am not looking for a review and comments, but I would appreciate it if you could do a quick look at the revisions and let me know if your comments were addressed. I will probably release this to the public early next week.

Kenneth Shewmake
Remedial Project Manager
US Environmental Protection Agency, Region 6
Superfund and Emergency Management Division (SEDRA)

1201 Elm Street, Suite 500
Dallas, TX 75270
shewmake.kenneth@epa.gov
work phone- (214) 665-3198